





## Surface-mounted metal grilles to screw



 = Compatible with saline environments

	Item	Colour	ø external mm	S mm	Pass Air cm <sup>2</sup>	Insect screen
	<b>GZKT125R</b>	aluzink	150	8	65	✓
	<b>GRAT125R</b>	copper	150	8	65	✓
	<b>GINT125R</b>	inox 430	150	8	65	✓
	<b>GABT125R</b>	white alu.	150	8	65	✓


**Description:** Surface-mounted round ventilation grille


**Material:** Metal



**Features:** Round metal ventilation grille, to be surface mounted with screws and plugs. Distance between holes 130 mm. It can be installed both indoors and outdoors.



## Surface-mounted metal grilles to screw



 = Compatible with saline environments

	Item	Colour	Ø external mm	S mm	Pass Air cm <sup>2</sup>	Insect screen
	<b>GZKT160R</b>	aluzink	175	8	105	✓
	<b>GRAT160R</b>	copper	175	8	105	✓
	<b>GINT160R</b>	inox 430	175	8	105	✓
	<b>GABT160R</b>	white alu.	175	8	105	✓


**Description:** Surface-mounted round ventilation grille


**Material:** Metal



**Features:** Round metal ventilation grille, to be surface mounted with screws and plugs. Distance between holes 150 mm. It can be installed both indoors and outdoors.



## Surface-mounted metal grilles to screw



 = Compatible with saline environments

	Item	Colour	ø external mm	S mm	Pass Air cm <sup>2</sup>	Insect screen
	<b>GZKT200</b>	aluzink	230	8	200	
	<b>GZKT200R</b>	aluzink	230	8	200	✓
	<b>GRAT200R</b>	copper	230	8	200	✓
	<b>GINT200R</b>	inox 430	230	8	200	✓

**Description:** Surface-mounted round ventilation grille

**Material:** Metal

**Features:** Round metal ventilation grille, to be surface mounted with screws and plugs. Distance between holes 198 mm. It can be installed both indoors and outdoors.

